




PHYSICAL PROPERTIES	METHOD	UNIT	RESULT
BASIS WEIGHT	ASTM D3776	Oz/y²	1.3
TRAPEZOIDAL TEAR	INDA IST 100.2	Lb./in- MD Lb./in -CD	6.1 5.1
TENSILE STRENGTH	ASTM D5034	Lb./in- MD Lb./in -CD	54.0 14.5
ELONGATION	ASTM D5034	% MD % CD	100.4 142.6
TRAPEZOIDAL TEAR	ASTM D5733	Lb./in- MD Lb./in -CD	8.3 8.0
HYDROSTATIC PRESSURE	EN20811-1992	Mm H20	2248
WATER VAPOR TRANSMISSION RATE (50% RH @ 90°F)	ASTM E96	Grs/m2/24hrs	9829
AIR PERMEABILITY	ASTM D737	CFM	28.5
STATIC DECAY	NFPA 99	<0.5 SEC	PASS
BLOOD PENETRATION	ASTM F1670	PROCEDURE B	PASS
PARTICLE HOLDOUT	INDEPENDENT	PARTI. /MIN>0.5MM	100%
FLAMMABILITY	CPSC 1610		CLASS 1
LINTING	HELMKE DRUM	PARTIC/MIN >0.5 MM	760
RESISTANCE TO PUNCTURE	ASTM F1342-91	LBS	1.0

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 8001 BASIC COVERALL

Description:

- · BASIC COVERALL
- · NO ELASTICS
- · FRONTAL PLASTIC ZIPPER 28"
- · SERGED SEAMS

· SIZES: S - 4XL

• **PCS / CASE**: 25

· WEIGHT / CASE: 6 LB

• **DESIGN**: ANSI • **COLOR**: WHITE

Main Features:

- · BREATHABLE Provides better user comfort.
- ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- · Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
8002
ELASTICATED
CUFF & ANKLES
COVERALL

Description:

- · COVERALL
- · ELASTIC IN WRISTS AND ANKLES
- · FRONTAL PLASTIC ZIPPER 28"
- · SERGED SEAMS

· SIZES: S - 4XL

· PCS / CASE: 25

· WEIGHT / CASE: 6 LB

· **DESIGN**: ANSI · **COLOR**: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- · ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 8003 HOODED COVERALL

Description:

- · HOODED COVERALL
- · ELASTICS IN WRISTS AND ANKLES
- · FRONTAL PLASTIC ZIPPER 28"
- · SERGED SEAMS

• **SIZES:** S - 4XL

• **PCS / CASE**: 25

· WEIGHT / CASE: 7 LB

· **DESIGN**: ANSI · **COLOR**: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
8004
HOODED
COVERALL WITH
BOOTS

Description:

- · HOODED COVERALL WITH BOOTS
- · ELASTICS IN WRISTS AND ANKLES
- · FRONTAL PLASTIC ZIPPER 28"
- · SERGED SEAMS

• **SIZES**: S - 4XL • **PCS / CASE**: 25

· WEIGHT / CASE: 9 LB

DESIGN: ANSICOLOR: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- · ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- · Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
8008
HOODED
COVERALL WITH
BOOTS AND
FLAP

Description:

- · HOODED COVERALL WITH BOOTS AND FLAP
- · ELASTICS IN WRISTS AND ANKLES
- · FRONTAL PLASTIC ZIPPER 28"
- · SERGED SEAMS

- **SIZES:** S 4XL **PCS / CASE:** 25
- · WEIGHT / CASE: 9 LB
- DESIGN: ANSICOLOR: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- · Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 8010 SLEEVE COVER

Description:

- · SLEEVE COVER
- · 18" LONG
- · ELASTIC WRIST AND ARM

· SIZES: ONE SIZE

• PCS / CASE: 200 = 100 PAIRS

· WEIGHT / CASE: 3 LB

DESIGN: ANSICOLOR: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- · ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- · Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 8016 APRON

Description:

- · TIE IN THE BACK
- · 28" WIDE X 36" LONG

· SIZES: ONE SIZE · PCS / CASE: 100

· WEIGHT / CASE: 5 LB

DESIGN: ANSICOLOR: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- · ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 8017 SHOE COVER

Description:

- · SHOE COVER
- · ELASTIC ANKLES

· SIZES: ONE SIZE

• PCS / CASE: 200 = 100 PAIRS

· WEIGHT / CASE: 5 LB

DESIGN: ANSICOLOR: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- · ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms
 And much more...

*This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 8018 BOOT COVER

Description:

- · BOOT COVER
- · 14" TALL
- · ELASTIC LEG OPENING

· SIZES: ONE SIZE

• PCS / CASE: 200 = 100 PAIRS

· WEIGHT / CASE: 9 LB

DESIGN: ANSICOLOR: WHITE

Main Features:


- · BREATHABLE Provides better user comfort.
- · ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
8019
NONSKID BOOT
COVER

Description:

- · NONSKID BOOT COVER
- · VINYL SOLE
- · 19" TALL
- · ELASTIC ANKLES AND LEG OPENING

- · SIZES: ONE SIZE
- **PCS / CASE:** 200 = 100 PAIRS
- · WEIGHT / CASE: 11 LB
- DESIGN: ANSICOLOR: WHITE

Main Features:

- · BREATHABLE Provides better user comfort.
- ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- · Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 8020 LAB COAT

Description:

- · LAB COAT
- · NO POCKETS
- · NO ELASTICS (WRISTS OPTIONAL)
- · THREE FRONT SNAP CLOSURES
- · SERGED SEAMS

· SIZES: S - 4XL

• **PCS / CASE**: 30

· WEIGHT / CASE: 5 LB

· **DESIGN**: ANSI · **COLOR**: WHITE

Main Features:

- · BREATHABLE Provides better user comfort.
- ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.





NONWOVEN MICROPORUS FILM LAMINATED (40 gram)
COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
8022
LAB COAT WITH POCKETS

Description:

- · LAB COAT
- · TWO HIP POCKETS
- · NO ELASTICS (WRISTS OPTIONAL)
- · THREE FRONT SNAP CLOSURES
- · SERGED SEAMS

· SIZES: S - 4XL

• **PCS / CASE**: 30

· WEIGHT / CASE: 6 LB

· **DESIGN**: ANSI

· COLOR: WHITE

Main Features:

- · BREATHABLE Provides better user comfort.
- · ANTI-STATIC Passes NFPA 99 for antistatic materials.
- LIQUID AND PARTICULATE BARRIER
 Protection against 0.3 0.5 micron particles.
- LIQUIDS UNDER PRESSURE RESISTANT Better liquid barrier than Tyvek.
- PROTECTS AGAINST BLOOD AND BODY FLUIDS Passes ASTM F1670.
- · Meets ANSI/ISEA 101-1996 sizing standards.

Main Uses:

- · General Maintenance
- · Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- · Light chemical handling
- · Pest Control
- Automotive
- Asbestos
- Fiberglass
- · Clean rooms

^{*}This image is representative and may vary from actual product.



STYLE	DESCR	RPITION	IMAGE
8001	BASIC COVERALL NO ELASTICS FRONTAL ZIPPER 28" SERGED SEAMS	· SIZES: S - 4XL · PCS / CASE: 25 · WEIGHT / CASE: 6 LB · DESIGN: ANSI · COLOR: WHITE	
8002	COVERALL, ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	· SIZES: S - 4XL · PCS / CASE: 25 · WEIGHT / CASE: 6 LB · DESIGN: ANSI · COLOR: WHITE	
8003	HOODED COVERALL, ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	· SIZES: S - 4XL · PCS / CASE: 25 · WEIGHT / CASE: 7 LB · DESIGN: ANSI · COLOR: WHITE	

^{*}This image is representative and may vary from actual product.



STYLE	DESCR	RPITION	IMAGE
8004	HOODED COVERALL WITH BOOTS ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	· SIZES: S - 4XL · PCS / CASE: 25 · WEIGHT / CASE: 9 LB · DESIGN: ANSI · COLOR: WHITE	
8008	HOODED COVERALL WITH BOOTS AND FLAP ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	· SIZES: S - 4XL · PCS / CASE: 25 · WEIGHT / CASE: 9 LB · DESIGN: ANSI · COLOR: WHITE	
8010	SLEEVE COVER 18" LONG ELASTIC: WRISTS AND ARM	· SIZES: ONE SIZE · PCS / CASE: 200 = 100 PAIRS · WEIGHT / CASE: 3 LB · DESIGN: ANSI · COLOR: WHITE	

^{*}This image is representative and may vary from actual product.



STYLE	DESCR	RPITION	IMAGE
8016	APRON TIE IN THE BACK 28" WIDE X 36" LONG	· SIZES: ONE SIZE · PCS / CASE: 100 · WEIGHT / CASE: 5 LB · DESIGN: ANSI · COLOR: WHITE	
8017	SHOE COVER ELASTIC ANKLE	· SIZES: ONE SIZE · PCS / CASE: 200 = 100 PAIRS · WEIGHT / CASE: 5 LB · DESIGN: ANSI · COLOR: WHITE	
8018	BOOT COVER 14" TALL ELASTIC LEG OPENING	· SIZES: ONE SIZE · PCS / CASE: 200 = 100 PAIRS · WEIGHT / CASE: 9 LB · DESIGN: ANSI · COLOR: WHITE	

^{*}This image is representative and may vary from actual product.



STYLE	DESCR	RPITION	IMAGE
8019	NONSKID BOOT COVER VINYL SOLE 19" TALL ELASTIC ANKLES AND LEG OPENING	· SIZES: ONE SIZE · PCS / CASE: 200 = 100 PAIRS · WEIGHT / CASE: 11 LB · DESIGN: ANSI · COLOR: WHITE	
8020	LAB COAT NO POCKETS NO ELASTICS (WRISTS OPTIONAL) THREE FRONT SNAP CLOSURES	· SIZES: S - 4XL · PCS / CASE: 30 · WEIGHT / CASE: 5 LB · DESIGN: ANSI · COLOR: WHITE	
8022	LAB COAT TWO HIP POCKETS NO ELASTICS (WRISTS OPTIONAL) THREE FRONT SNAP CLOSURES	· SIZES: S - 4XL · PCS / CASE: 30 · WEIGHT / CASE: 6 LB · DESIGN: ANSI · COLOR: WHITE	

^{*}This image is representative and may vary from actual product.



