





PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PHYSICAL PROPERTIES

PHYSICAL PROPERTIES	METHOD	UNIT	RESULT
BASIS WEIGHT	ASTM D3776	Oz/y ²	1.62
TRAPEZOIDAL TEAR	INDA IST 100.2	Lb./in- MD Lb./in -CD	6.1 5.1
TENSILE STRENGTH	ASTM D5034	Lb./in- MD Lb./in -CD	54.0 14.5
ELONGATION	ASTM D5034	% MD % CD	100.4 142.6
TRAPEZOIDAL TEAR	ASTM D5733	Lb./in- MD Lb./in -CD	8.3 8.0
HYDROSTATIC PRESSURE	AATCC 127-1994	Mbar	2248
WATER VAPOR TRANSMISSION RATE (50% RH @ 90°F)	ASTM E96	Grs/m ² /24hrs	9829
AIR PERMEABILITY	ASTM D737	CFM	28.5
STATIC DECAY	NFPA 99	<0.5 SEC	PASS
BLOOD PENETRATION	ASTM F1670	PROCEDURE B	PASS
PARTICLE HOLDOUT	INDEPENDENT	PARTI. /MIN>0.5MM	100%
FLAMMABILITY	CPSC 1610		CLASS 1
LINTING	HELMKE DRUM	PARTIC/MIN >0.5 MM	760
RESISTANCE TO PUNCTURE	ASTM F1342-91	LBS	1.0

*This image is representative and may vary from actual product.



PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
6001
BASIC
COVERALL**

Description:


- **BASIC COVERALL**
- **NO ELASTICS**
- **FRONTAL PLASTIC ZIPPER 28"**
- **SERGED SEAMS**
- **SIZES: S - 4XL**
- **PCS / CASE: 25**
- **WEIGHT / CASE: 7 LB**
- **DESIGN: ANSI**
- **COLOR: WHITE**

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...



*This image is representative and may vary from actual product.



PROTEX 50


NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
6002**
**ELASTICATED
CUFF & ANKLES
COVERALL**

Description:

- COVERALL
- ELASTIC IN WRISTS AND ANKLES
- FRONTAL PLASTIC ZIPPER 28"
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 25
- WEIGHT / CASE: 7 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 50


NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
6003
HOODED
COVERALL**

Description:

- HOODED COVERALL
- ELASTICS IN WRISTS AND ANKLES
- FRONTAL PLASTIC ZIPPER 28"
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 25
- WEIGHT / CASE: 8 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
6004**
**HOODED
COVERALL WITH
BOOTS**

Description:


- HOODED COVERALL WITH BOOTS
- ELASTICS IN WRISTS AND ANKLES
- FRONTAL PLASTIC ZIPPER 28"
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 25
- WEIGHT / CASE: 10 LB
- DESIGN: ANSI
- COLOR: WHITE

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...



*This image is representative and may vary from actual product.



PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
6008**
**HOODED
COVERALL WITH
BOOTS AND
FLAP**

Description:


- HOODED COVERALL WITH BOOTS AND FLAP
- ELASTICS IN WRISTS AND ANKLES
- FRONTAL PLASTIC ZIPPER 28"
- SERGED SEAMS
- SIZES: S - 2XL
- PCS / CASE: 25
- WEIGHT / CASE: 10 LB
- DESIGN: ANSI
- COLOR: WHITE

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...



*This image is representative and may vary from actual product.



PROTEX 50


NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
6010
SLEEVE COVER

Description:

- SLEEVE COVER
- 18" LONG
- ELASTIC WRIST AND ARM
- SIZES: ONE SIZE
- PCS / CASE: 200 = 100 PAIRS
- WEIGHT / CASE: 4 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 50


NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
6016
APRON

Description:

- TIE IN THE BACK
- 28" WIDE X 36" LONG
- SIZES: ONE SIZE
- PCS / CASE: 100
- WEIGHT / CASE: 6 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 50


NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
6017
SHOE COVER

Description:

- SHOE COVER
- ELASTIC ANKLES
- SIZES: ONE SIZE
- PCS / CASE: 200 = 100 PAIRS
- WEIGHT / CASE: 6 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
6018
BOOT COVER

Description:

- **BOOT COVER**
- **14" TALL**
- **ELASTIC LEG OPENING**
- **SIZES: ONE SIZE**
- **PCS / CASE: 200 = 100 PAIRS**
- **WEIGHT / CASE: 10 LB**
- **DESIGN: ANSI**
- **COLOR: WHITE**


Main Features:


- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.





PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
6019
NONSKID BOOT
COVER**

Description:

- NONSKID BOOT COVER
- VINYL SOLE
- 19" TALL
- ELASTIC ANKLES AND LEG OPENING
- SIZES: ONE SIZE
- PCS / CASE: 200 = 100 PAIRS
- WEIGHT / CASE: 12 LB
- DESIGN: ANSI
- COLOR: WHITE

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
6020
LAB COAT

Description:

- LAB COAT
- NO POCKETS
- NO ELASTICS (WRISTS OPTIONAL)
- THREE FRONT SNAP CLOSURES
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 30
- WEIGHT / CASE: 6 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)


COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL 6022

LAB COAT WITH POCKETS

Description:

- LAB COAT
- TWO HIP POCKETS
- NO ELASTICS (WRISTS OPTIONAL)
- THREE FRONT SNAP CLOSURES
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 30
- WEIGHT / CASE: 7 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.






PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION	IMAGE
6001	<p>BASIC COVERALL NO ELASTICS FRONTAL ZIPPER 28" SERGED SEAMS</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 7 LB • DESIGN: ANSI • COLOR: WHITE 
6002	<p>COVERALL, ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 7 LB • DESIGN: ANSI • COLOR: WHITE 
6003	<p>HOODED COVERALL, ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 8 LB • DESIGN: ANSI • COLOR: WHITE 

*This image is representative and may vary from actual product.






PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION	IMAGE
6004	<p>HOODED COVERALL WITH BOOTS ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 10 LB • DESIGN: ANSI • COLOR: WHITE 
6008	<p>HOODED COVERALL WITH BOOTS AND FLAP ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 10 LB • DESIGN: ANSI • COLOR: WHITE 
6010	<p>SLEEVE COVER 18" LONG ELASTIC WRISTS AND ARM</p>	<ul style="list-style-type: none"> • SIZES: ONE SIZE • PCS / CASE: 200 = 100 PAIRS • WEIGHT / CASE: 4 LB • DESIGN: ANSI • COLOR: WHITE 

*This image is representative and may vary from actual product.






PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION	IMAGE
6016	APRON TIE IN THE BACK 28" WIDE X 36" LONG	<ul style="list-style-type: none"> • SIZES: ONE SIZE • PCS / CASE: 100 • WEIGHT / CASE: 6 LB • DESIGN: ANSI • COLOR: WHITE 
6017	SHOE COVER ELASTIC ANKLES	<ul style="list-style-type: none"> • SIZES: ONE SIZE • PCS / CASE: 200 = 100 PAIRS • WEIGHT / CASE: 6 LB • DESIGN: ANSI • COLOR: WHITE 
6018	BOOT COVER 14" TALL ELASTIC LEG OPENING	<ul style="list-style-type: none"> • SIZES: ONE SIZE • PCS / CASE: 200 = 100 PAIRS • WEIGHT / CASE: 10 LB • DESIGN: ANSI • COLOR: WHITE 

*This image is representative and may vary from actual product.






PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION	IMAGE
6019	<p>NONSKID BOOT COVER VINYL SOLE 19" TALL ELASTIC ANKLES AND LEG OPENING</p>	<ul style="list-style-type: none"> • SIZES: ONE SIZE • PCS / CASE: 200 = 100 PAIRS • WEIGHT / CASE: 12 LB • DESIGN: ANSI • COLOR: WHITE 
6020	<p>LAB COAT NO POCKETS NO ELASTICS (WRISTS OPTIONAL) THREE FRONT SNAP CLOSURES</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 30 • WEIGHT / CASE: 6 LB • DESIGN: ANSI • COLOR: WHITE 
6022	<p>LAB COAT TWO HIP POCKETS NO ELASTICS (WRISTS OPTIONAL) THREE FRONT SNAP CLOSURES</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 30 • WEIGHT / CASE: 7 LB • DESIGN: ANSI • COLOR: WHITE 

*This image is representative and may vary from actual product.



PROTEX 50

NONWOVEN MICROPOROUS FILM LAMINATED (50 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

SIZE CHART

