





PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PERFORMANCE AGAINST
CHEMICALS: ASTM F101

CHEMICAL	PENETRATION RESULTS	FAIL TIME	CHEMICAL CONCENTRATION
CHLORINE	PASS	N/A	5%
DIESEL	PASS	N/A	100%
HYDROFLUORIC ACID	PASS	N/A	10%
HYDROGEN PEROXIDE	PASS	N/A	30%
MURIATIC ACID	FAILED	5 MIN	31%
PHOSPHORIC ACID	PASS	N/A	85%
SODIUM HYDROXIDE	PASS	N/A	50%
SULFURIC ACID	FAILED	50 MIN	93%
TOLUENE	FAILED	45 MIN	99%
OIL GRADE 40W	PASS	N/A	100%

*This image is representative and may vary from actual product.



PROTEX 60
NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)
COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PHYSICAL PROPERTIES

PHYSICAL PROPERTIES	METHOD	UNIT	RESULT
BASIS WEIGHT	ASTM D3776	Oz/y ²	1.9
TRAPEZOIDAL TEAR	INDA IST 100.2	Lb./in- MD Lb./in -CD	6.1 5.1
TENSILE STRENGTH	ASTM D5034	Lb./in- MD Lb./in -CD	29.8 21.0
ELONGATION	ASTM D5034	% MD % CD	65.8 76.7
TRAPEZOIDAL TEAR	ASTM D5733	Lb./in- MD Lb./in -CD	10.3 10.2
HYDRAULIC BURSTING STRENGTH	ASTM D3786-87	Psi	42
HYDROSTATIC PRESSURE	AATCC 127-1994	Mbar	180
WATER VAPOR TRANSMISSION RATE (50% RH @ 90°F)	ASTM E96	Grs/m2/24hrs	3380
AIR PERMEABILITY	ASTM D737	CFM	23.9
STATIC DECAY	NFPA 99	<0.5 SEC	PASS
BLOOD PENETRATION	ASTM F1670	PROCEDURE B	PASS
MULLEN BURST	ISO 13938-1	PSI	48.4
PARTICLE HOLDOUT	INDEPENDENT	PARTI. /MIN>0.5MM	100%
FLAMMABILITY	CPSC 1610		CLASS 1
LINTING	HELMKE DRUM	PARTIC/MIN >0.5 MM	760
RESISTANCE TO PUNCTURE	ASTM F1342-91	LBS	1.3

*This image is representative and may vary from actual product.



PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1001
BASIC
COVERALL

Description:

- BASIC COVERALL
- NO ELASTICS
- FRONTAL PLASTIC ZIPPER 28"
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 25
- WEIGHT / CASE: 7 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
1002**
**ELASTICATED
CUFF & ANKLES
COVERALL**

Description:

- **COVERALL**
- **ELASTIC IN WRISTS AND ANKLES**
- **FRONTAL PLASTIC ZIPPER 28"**
- **SERGED SEAMS**
- **SIZES: S - 4XL**
- **PCS / CASE: 25**
- **WEIGHT / CASE: 7 LB**
- **DESIGN: ANSI**
- **COLOR: WHITE**



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1003
HOODED
COVERALL

Description:

- HOODED COVERALL
- ELASTICS IN WRISTS AND ANKLES
- FRONTAL PLASTIC ZIPPER 28"
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 25
- WEIGHT / CASE: 8 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
1004**
**HOODED
COVERALL WITH
BOOTS**

Description:


- **HOODED COVERALL WITH BOOTS**
- **ELASTICS IN WRISTS AND ANKLES**
- **FRONTAL PLASTIC ZIPPER 28"**
- **SERGED SEAMS**
- **SIZES: S - 4XL**
- **PCS / CASE: 25**
- **WEIGHT / CASE: 10 LB**
- **DESIGN: ANSI**
- **COLOR: WHITE**

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...



*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

**MODEL
1008**
**HOODED
COVERALL WITH
BOOTS AND
FLAP**

Description:

- **HOODED COVERALL WITH BOOTS AND FLAP**
- **ELASTICS IN WRISTS AND ANKLES**
- **FRONTAL PLASTIC ZIPPER 28"**
- **SERGED SEAMS**
- **SIZES: S - 4XL**
- **PCS / CASE: 25**
- **WEIGHT / CASE: 10 LB**
- **DESIGN: ANSI**
- **COLOR: WHITE**


Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.





PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1005
PROTECTIVE
SHIRT

Description:

- PROTECTIVE SHIRT
- MANDARIN COLLAR
- NO ELASTICS (WRISTS OPTIONAL)
- THREE FRONT SNAP CLOSURES
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 50
- WEIGHT / CASE: 7 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1007
PROTECTIVE
PANTS

Description:

- PROTECTIVE SHIRT
- ELASTIC WAIST (WRISTS OPTIONAL)
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 50
- WEIGHT / CASE: 7 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1010
SLEEVE COVER

Description:

- SLEEVE COVER
- 18" LONG
- ELASTIC WRIST AND ARM
- SIZES: ONE SIZE
- PCS / CASE: 200 = 100 PAIRS
- WEIGHT / CASE: 4 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1015
PROTECTIVE
HOOD

Description:

- PROTECTIVE HOOD
- ELASTICATED FACE OPENING
- SERGED SEAMS
- SIZES: ONE SIZE
- PCS / CASE: 100
- WEIGHT / CASE: 4 LB
- DESIGN: ANSI
- COLOR: WHITE




Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...



*This image is representative and may vary from actual product.




PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1016
APRON



Description:

- **TIE IN THE BACK**
- **28" WIDE X 36" LONG**
- **SIZES: ONE SIZE**
- **PCS / CASE: 100**
- **WEIGHT / CASE: 6 LB**
- **DESIGN: ANSI**
- **COLOR: WHITE**

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
 - Medical & Pharmaceutical
 - Food processing
 - Laboratories
 - Veterinary
 - Light chemical handling
 - Pest Control
 - Automotive
 - Asbestos
 - Fiberglass
 - Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1017
SHOE COVER

Description:

- SHOE COVER
- ELASTIC ANKLES
- SIZES: ONE SIZE
- PCS / CASE: 200 = 100 PAIRS
- WEIGHT / CASE: 6 LB
- DESIGN: ANSI
- COLOR: WHITE




Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1018
BOOT COVER

Description:

- **BOOT COVER**
- **14" TALL**
- **ELASTIC LEG OPENING**
- **SIZES: ONE SIZE**
- **PCS / CASE: 200 = 100 PAIRS**
- **WEIGHT / CASE: 10 LB**
- **DESIGN: ANSI**
- **COLOR: WHITE**

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
 - Medical & Pharmaceutical
 - Food processing
 - Laboratories
 - Veterinary
 - Light chemical handling
 - Pest Control
 - Automotive
 - Asbestos
 - Fiberglass
 - Clean rooms
- And much more...

*This image is representative and may vary from actual product.




PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1019
NONSKID BOOT
COVER



Description:

- NONSKID BOOT COVER
- VINYL SOLE
- 19" TALL
- ELASTIC ANKLES AND LEG OPENING
- SIZES: ONE SIZE
- PCS / CASE: 200 = 100 PAIRS
- WEIGHT / CASE: 12 LB
- DESIGN: ANSI
- COLOR: WHITE

Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1020
LAB COAT

Description:

- LAB COAT
- NO POCKETS
- NO ELASTICS (WRISTS OPTIONAL)
- THREE FRONT SNAP CLOSURES
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 30
- WEIGHT / CASE: 6 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60


NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

MODEL
1022
LAB COAT WITH
POCKETS

Description:

- LAB COAT
- TWO HIP POCKETS
- NO ELASTICS (WRISTS OPTIONAL)
- THREE FRONT SNAP CLOSURES
- SERGED SEAMS
- SIZES: S - 4XL
- PCS / CASE: 30
- WEIGHT / CASE: 7 LB
- DESIGN: ANSI
- COLOR: WHITE



Main Features:

- **BREATHABLE** Provides better user comfort.
- **ANTI-STATIC** Passes NFPA 99 for antistatic materials.
- **LIQUID AND PARTICULATE BARRIER**
Protection against 0.3 - 0.5 micron particles.
- **LIQUIDS UNDER PRESSURE RESISTANT**
Better liquid barrier than Tyvek.
- **PROTECTS AGAINST BLOOD AND BODY FLUIDS**
Passes ASTM F1670.
- **Meets ANSI/ISEA 101-1996 sizing standards.**

Main Uses:

- General Maintenance
- Medical & Pharmaceutical
- Food processing
- Laboratories
- Veterinary
- Light chemical handling
- Pest Control
- Automotive
- Asbestos
- Fiberglass
- Clean rooms
- And much more...

*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION		IMAGE
1001	BASIC COVERALL NO ELASTICS FRONTAL ZIPPER 28" SERGED SEAMS	<ul style="list-style-type: none">• SIZES: S - 4XL• PCS / CASE: 25• WEIGHT / CASE: 7 LB• DESIGN: ANSI• COLOR: WHITE	
1002	COVERALL, ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	<ul style="list-style-type: none">• SIZES: S - 4XL• PCS / CASE: 25• WEIGHT / CASE: 7 LB• DESIGN: ANSI• COLOR: WHITE	

*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION		IMAGE
1003	HOODED COVERALL, ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 8 LB • DESIGN: ANSI • COLOR: WHITE 	
1004	HOODED COVERALL WITH BOOTS ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 10 LB • DESIGN: ANSI • COLOR: WHITE 	
1008	HOODED COVERALL WITH BOOTS AND FLAP ELASTIC WRISTS AND ANKLES FRONTAL ZIPPER 28" SERGED SEAMS	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 25 • WEIGHT / CASE: 10 LB • DESIGN: ANSI • COLOR: WHITE 	

*This image is representative and may vary from actual product.






PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION	IMAGE
1005	<p>PROTECTIVE SHIRT MANDARIN COLLAR NO ELASTICS (WRISTS OPTIONAL) THREE FRONT SNAP CLOSURES SERGED SEAMS</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 50 • WEIGHT / CASE: 7 LB • DESIGN: ANSI • COLOR: WHITE 
1007	<p>PROTECTIVE PANTS ELASTIC WAIST (WRISTS OPTIONAL) SERGED SEAMS</p>	<ul style="list-style-type: none"> • SIZES: S - 4XL • PCS / CASE: 50 • WEIGHT / CASE: 7 LB • DESIGN: ANSI • COLOR: WHITE 
1010	<p>SLEEVE COVER 18" LONG ELASTIC WRIST AND ARM</p>	<ul style="list-style-type: none"> • SIZES: ONE SIZE • PCS / CASE: 200 = 100 PAIRS • WEIGHT / CASE: 4 LB • DESIGN: ANSI • COLOR: WHITE 

*This image is representative and may vary from actual product.






PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION	IMAGE
1016	<p>APRON TIE IN THE BACK 28" WIDE X 36" LONG</p>	<ul style="list-style-type: none"> · SIZES: ONE SIZE · PCS / CASE: 100 · WEIGHT / CASE: 6 LB · DESIGN: ANSI · COLOR: WHITE 
1017	<p>SHOE COVER ELASTIC ANKLES</p>	<ul style="list-style-type: none"> · SIZES: ONE SIZE · PCS / CASE: 200 = 100 PAIRS · WEIGHT / CASE: 6 LB · DESIGN: ANSI · COLOR: WHITE 
1018	<p>BOOT COVER 14" TALL ELASTIC LEG OPENING</p>	<ul style="list-style-type: none"> · SIZES: ONE SIZE · PCS / CASE: 200 = 100 PAIRS · WEIGHT / CASE: 10 LB · DESIGN: ANSI · COLOR: WHITE 

*This image is representative and may vary from actual product.






PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

PRODUCTS

STYLE	DESCRIPTION	IMAGE
1019	<p>NONSKID BOOT COVER VINYL SOLE 19" TALL ELASTIC ANKLES AND LEG OPENING</p>	<ul style="list-style-type: none"> · SIZES: ONE SIZE · PCS / CASE: 200 = 100 PAIRS · WEIGHT / CASE: 12 LB · DESIGN: ANSI · COLOR: WHITE 
1020	<p>LAB COAT NO POCKETS NO ELASTICS (WRISTS OPTIONAL) THREE FRONT SNAP CLOSURES</p>	<ul style="list-style-type: none"> · SIZES: S - 4XL · PCS / CASE: 30 · WEIGHT / CASE: 6 LB · DESIGN: ANSI · COLOR: WHITE 
1022	<p>LAB COAT TWO HIP POCKETS NO ELASTICS (WRISTS OPTIONAL) THREE FRONT SNAP CLOSURES</p>	<ul style="list-style-type: none"> · SIZES: S - 4XL · PCS / CASE: 30 · WEIGHT / CASE: 7 LB · DESIGN: ANSI · COLOR: WHITE 

*This image is representative and may vary from actual product.



PROTEX 60

NONWOVEN MICROPOROUS FILM LAMINATED (60 gram)

COMPOSITION: 52% POLYPROPYLENE 48% POLYETHYLENE

SIZE CHART

